CIRCUIT IMMUNITY INTEGRATED

DOD E3 Program Review 11-14 April 2000


NAS8-98217

St. Louis, MO J. G. Sketoe (636) 925-4735

Anthony Clark NASA SEE (256) 544-2394 MFSC, AL

J. Sketoe, Boeing Co. A. Clark, NASA, MFSC

EMI IMMUNITY TESTING




D:/DODE3/NASA_DODE3.ppt

DOD E3 Program Review 13 April 2000

Silde 2

J. Sketoe, Boeing Co. A. Clark, NASA, MFSC


THRESHOLD DEFINITION



D:/DODE3/NASA_DODE3.ppt

J. Sketoe, Boeing Co. A. Clark, NASA, MFSC

THRESHOLD DEFINITION




J. Sketoe, Boeing Co. A. Clark, NASA, MFSC

D:/DODE3/NASA_DODE3.ppt

DOD E3 Program Review 13 April 2000

BIAS TEE CALIBRATION SET-UP




J. Sketoe, Boeing Co. A. Clark, NASA, MFSC

D:/DODE3/NASA_DODE3.ppt

DOD E3 Program Review 13 April 2000


D:/DODE3/h



dB Gain

ZBFT-6G, S/N 1-20

ZBFT-6G, S/N 1-20




J. Sketoe, Boeing Co. A. Clark, NASA, MFSC

D:/DODE3/NASA_DODE3.ppt

Slide 8

EDM TEST FIXTURE




J. Sketoe, Boeing Co. A. Clark, NASA, MFSC

D:/DODE3/NASA_DODE3.ppt

Slide 9





__ 70's Data

-Vo=Vt1

Frequency [MHz]

Chart 2. EMI IMMUNITY LEVEL

74ALS00 NAND GATES

25.0

30.0

15.0

20.0

10.0

immune Level [dBm]

5.0

0.0

10,000

1,000


9


9


-10.0


-5.0

J. Sketoe, Boeing Co. A. Clark, NASA, MFSC













DOD E3 Program Review 13 April 2000


J. Sketoe, Boeing Co. A. Clark, NASA, MFSC













7405 OPEN COLLECTOR INVERTER

Chart 9. EMI IMMUNITY LEVEL





70's Darta

99 Data

5.0

10.0

Immune Level [dBm

25.0

20.0

30.0

1,000

8

9

10.0

5.0

Frequency [MHz]

DOD E3 Program Review 13 April 2000


D:/DODE3/NASA_DODE3.ppt

J. Sketoe, Boeing Co.
A. Clark, NASA, MFSC

Silde 14

7805 VOLT REG IMMUNITY





SEVENTIES CHIP SET

TTL:	7400, 7402, 7404, 7405, 7408,	6
	7432, 7450, 7473, & 7479	
CMOS:	4011A, 4011B, 4007A, 4007B,	9
	4001A, & 4013A	
Line	8830/8820, 9614/9615,	7
drvr/rcvr:	55109/55107A, & 55110	
Op Amps:	741, 108A, 201A, 0042C, &	3
	531	
Voltage	(3-pin) 309, 320, 78M05,	5
Reg:	(8-pin) 300, & 305	
Comparators	306, 311, 339, 360, 710, & 760	9
••		
	TOTAL NUMBER TYPES	38

J. Sketoe, Boeing Co. A. Clark, NASA, MFSC